

	<h3>TB250-BTC PRO 6.x</h3> <ul style="list-style-type: none"> • Supports 7th Generation Intel® Core™ Processor • Intel B250 single chip architecture • Support 2-DIMM DDR4-2400/ 2133/ 1866 up to 32G maximum capacity • Support 12 x PCI-E slots • Support DVI-D • Support USB 3.0
-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


Chipset	<ul style="list-style-type: none"> • Intel B250
CPU SUPPORT	<ul style="list-style-type: none"> • Intel® Core™ i7 LGA 1151 Processor • Intel® Core™ i5 LGA 1151 Processor • Intel® Core™ i3 LGA 1151 Processor • Intel® Pentium® LGA 1151 Processor • Intel® Celeron® LGA 1151 Processor • Maximum CPU TDP (Thermal Design Power) : 95Watt
MEMORY	<ul style="list-style-type: none"> • Support Dual Channel DDR4 2400/ 2133/ 1866 MHz • 2 x DDR4 DIMM Memory Slot • Max. Supports up to 32GB Memory • * DDR4 2400 for 7th Generation Intel® Core™ Processor Family
EXPANSION SLOT	<ul style="list-style-type: none"> • 1 x PCI-E x16 3.0 Slot • 11 x PCI-E x1 3.0 Slot(Note: PEX1_6/7/8/9/10/11 slot are not compatible w/ ATX standard, users need extra connecting kit to

	install VGA card for crypto mining.)
STORAGE	<ul style="list-style-type: none"> • 6 x SATA3 Connector
USB	<ul style="list-style-type: none"> • 4 x USB 3.0 Port • 1 x USB 3.0 Header • 2 x USB 2.0 Port • 2 x USB 2.0 Port(only 5V power, up to 1.5A) • 2 x USB 2.0 Header
LAN	<ul style="list-style-type: none"> • Realtek RTL8111H - 10/100/1000 Controller • Support Super LAN Surge Protection
INTEGRATED VIDEO	<ul style="list-style-type: none"> • By CPU model • Supports DX12 • Supports HDCP
CODEC	<ul style="list-style-type: none"> • Realtek ALC887 8-Channel HD Audio • Support HD Audio
REAR I/O	<ul style="list-style-type: none"> • 1 x PS/2 Mouse • 1 x PS/2 Keyboard • 4 x USB 3.0 Port • 2 x USB 2.0 Port • 2 x USB 2.0 Port(only 5V power, up to 1.5A) • 1 x DVI-D Connector, resolution up to 1920 x 1200 @60Hz • 1 x RJ-45 Port • 3 x Audio Connector



INTERNAL I/O	<ul style="list-style-type: none"> • 1 x USB 3.0 Header • 2 x USB 2.0 Header • 6 x SATA3 6Gb/s Connector • 1 x SATA Power Connector(for rear USB power enhancement) • 1 x Front Audio Header • 1 x Front Panel Header • 1 x CPU Fan Header • 2 x System Fan Header • 1 x Serial Header • 2 x PCI-E 12V 4Pin Connector(Must be installed when using for bitcoin mining.)
H/W MONITORING	<ul style="list-style-type: none"> • CPU / System Temperature Monitoring • CPU / System Fan Monitoring • Smart / Manual CPU Fan Control • System Voltage Monitoring
DIMENSION	<ul style="list-style-type: none"> • ATX Form Factor Dimension: 29.5cm x 21cm (W x L)
OS SUPPORT	<ul style="list-style-type: none"> • Support Windows 10(x64) for Intel 7th Generation Processor • ✕Support Windows 7 / 8.1(x64) / 10(x64) for Intel 6th Generation Processor
BUNDLE SOFTWARE	<ul style="list-style-type: none"> • BullGuard • Smart Speed LAN(Windows 7/ 8.1 only) • Intel Rapid Storage Technology
ACCESSORIES	<ul style="list-style-type: none"> • 2 x SATA Cable • 1 x I/O Shield

	<ul style="list-style-type: none"> • 1 x DVD Driver • 1 x User Manual
FEATURES	<ul style="list-style-type: none"> • Supports 100% Solid capacitor • Supports Charger Booster • Supports BIOS Online Update


Audio+

HD Audio Provides high quality sound with minimal loss of audio fidelity.	
-----------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------



Video+

DVI DVI is better than VGA for LCD displays since it is digital while VGA is analog. For LCD displays, the picture is digitized pixel per pixel. Through DVI, the panel gets data for each pixel, so the picture generated in the Graphics device matches the pixels on the panel itself.	
DX12 DirectX 12 introduces the next version of Direct3D, the graphics API at the heart of DirectX. Direct3D is one of the most critical pieces of a game or game engine, and we've redesigned it to be faster and more efficient than ever before. Direct3D 12 enables richer scenes, more objects, and full utilization of modern GPU hardware.	





Speed+

<p>USB 3.0</p> <p>Experience Fastest data transfers at 5 Gbps with USB 3.0--the new latest connectivity standard. Built to connect easily with next-generation components and peripherals, USB 3.0 transfers data 10X faster and backward compatible with previous USB 2.0 components.</p>	
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------



Durable+

<p>Moistureproof PCB</p> <p>The popularity of PC usage and working environment is getting deteriorating and moist(rural, coastal, etc.). The PCB will be oxidizing easily by damp or absorbed moisture, and ionic migration or CAF (Conductive Anodic Filament) will be generated. Moisture-proof PCB meets high density and high reliability requirements for moisture proof.</p>	
<p>Low RdsOn P-Pak MOS</p> <p>Low resistance design can significantly reduce the current out of energy loss. Low temperature, small size, excellent thermal conductivity.</p>	


Protection+

<p>Super Anti-Surge Protection</p> <p>BIOSTAR exclusive Anti-Surge design provides the best protection of board and extends the product life. Having the latest model of "Transient Voltage Suppressor" on-board can effectively protect the board circuit, reducing the shocks caused by ESD as well as other damages arising from overvoltage transients to enhance system durability.</p>	
<p>Super LAN Surge Protection</p> <p>Super LAN Surge Protection, providing LAN port with more advanced antistatic protection capabilities by adding an integrated chip to strengthen electrical stability and prevent damage from lightning strikes and electrical surges. SLSP (Super LAN Surge Protection) series motherboard upgrades the existing system protection standards with maximum 4X protection comparing to other board makers.</p>	
<p>ESD Protection</p> <p>ESD (Electrostatic Discharge) is the major factor to destroy PC by electrical overstress(EOS) condition, ESD occurred by PC users when touch any devices connect to PC, which may result in damage to motherboard or parts .ESD protection is designed to protect the motherboard and equipment from damage by EOS</p>	
<p>OC / OV / OH Protection</p> <p>All BIOSTAR special circuit design detects overvoltage conditions and prevents voltage surges from spreading in real time. It also actively cuts off the overvoltage supply to protect your system. Over current protection, avoid motherboard from damage when doing overclock or an unusual current import. Over heat protection, avoid motherboard & CPU from burning when exceeding the temperature limitation.</p>	

DIY+

<p>Header Zone</p> <p>Users can easily assemble their own computer, a simple-swap data discs and other accessories.</p>	
<p>Bitcoin Mining</p> <p>BIOSTAR offers a perfect choice for "Bitcoin Mining" with more PCI-E slots for users who wish to create a dedicated mining machine and getting a value oriented motherboard that can load up graphic cards is the ideal strategy.</p>	

CPU-Chipset Features

<p>Intel B250 chipset</p> <p>Give your small business a boost with the Intel® B250 Chipset and the 7th Generation Intel® Core™ processor. The Intel B250 chipset provides you with the power and performance you need for your small business.</p>	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------